## 7. REFERENCES


Ajay S. (2012), Microsponge drug delivery system as an innovation, Asian J. of Pharmaceutical Edu. and Res., 2012, 1(2), 10-17.

Aksu B. (2012), Strategic funding priorities in the pharmaceutical sciences allied to Quality by Design and Process Analytical Technology, European J. of Pharm. Sci., 47, 402–405 .

Aritomi H. and Yamasaki Y., (1996), Development of sustained release formulation of chlorpheniramine maleate using powder coated microsponges prepared by dry impact blending method. J. of Pharm. Sci. and Tech., 56(1): 49-56.

Awotwe-Otoo D. (2012), Quality by design: Impact of formulation variables and their interactions on quality attributes of a lyophilized monoclonal antibody, Int. J. of Pharmaceutics, 438, 167– 175.

Badir L., Mitra J., Parvin Z. and Hadi V. (2012), Design of Vancomycin RS-100 Nanoparticles in order to increase the Intestinal Permeability. Advanced Pharmaceutical Bulletin, 2(1), 43-56.

BakshAbrar A., Shaikh A. and Bhargava T.(2012), Sameer singh,Formulation and in –vitro evaluation of NSAID'S gel, Int. J. of current pharmaceutical Res., 4(3), 285-290.

Barrett C. (1969), Skin penetration, Journal of the Society of Cosmetic Chemist. 20, 487-499.

Behera B., Sahooa S. and Dhal S., Characterization Of Glipizide-Loaded Polymethacrylate Microspheres Prepared By An Emulsion Solvent Evaporation Method. Tropical J. of Pharm. Res., 7(1),879-885.

Bertram G. (1995), Basic and Clinical Pharmacology, Bertram G. Katzung, Publication, 6, 536-37.

Bhalaria M., Naik S. and Misra A. (2009), A novel delivery system for antifungal drugs in the treatment of topical fungal disease. Indian J Exp Biol., 47(5), 368-75.

Brigitte G., Hubert S., Johannes G. and Khinast A. (2012), A risk management ontology for Quality-by-Design based on a new development approach according GAMP 5.0 , Expert Systems with Applications, 39 , 7291–7301.

Carter S. and Ednitor. (1987), Ointment, Pasts and Jellies. In: Copper and Gunn's Dispensing for Pharmaceutical Student; 12thEdn; CBS Publications. pp 192-231.

Chien Y. Transdermal therapeutic system, Marcel Dekker, Inc., Madison Avenue, New York, 2(29), 524-526.

Chowdary K., Ravi S. and Suneel K. (2014), Recent Research On Qbd Approach In Formulation Development - A Review, Int. J. of Chemical Science and Technology, 4(1), 282-292.

Costa P. and Lobo J. (2009), Modeling and comparision of dissolution profiles, European journal of pharmaceutical science and research, 4, 48-54.

Das B., Amit Kumar N. and Upendranath N. (2013), Topical gels of lidocaine HCl using cashew gum and Carbopol 940: Preparation and in vitro skin permeation, International Journal of Biological Macromolecules, 62, 514-517.

Dash A. (2001), Fluconazole: Analytical profiles of drug substances and excipients, San Diego: Academic, 67–113.

Debjit B., Harish G., Pragati Kumar B. and Duraivel S. (2012), Recent advances in Novel Topical Drug Delivery System, The Pharma. Innovation, 1(9), 2277- 7695.

Delasko J. and Burke. L. (2005), Target Product Profile: Beginning Drug Development with the End in Mind. Update, 2(3), 34-41.

Delattre L. and Delneuville I. (1995), Biopharmaceutical aspects of the formulation of dermatological vehicles. J. Eur. Acad. Dermatol. Venereol, 5:70-71.

Dilip P., Sandipan D., Sanjay D., Roja R., Subhabrata R. and Bhaskar M. (2012), Nanostructured Lipid Carriers (NLC)-Based Gel For The Topical

Dinanath G., Jadhav R., Amol L., Sangeeta S., Kisan B. and Manoj P. (2001), Formulation and Evaluation of Sustained Release Tablet of Aceclofenac by Film Coating, Int. J. of Research in Pharmaceutical and Biomedical Sciences, 2,310-318.

Dumbare A., Shelke P., Gadhave M. and Jadhav S. (2012), Optimization: A Review, Int. Journal of Universal Pharmacy and Life Sci., 2(3), 76-82.

Embil K. (1996), The MDS: a topical delivery system with reduced irritancy incorporating multiple triggering mechanisms for the release of actives, J. Microencapsulation, 308:124-132.

Gaddam N. and Aukunuru J. (2010), Systemic Delivery and Topical Application of Gels Incorporated With Drug-Loaded Solid Lipid Nanoparticles (SLN), J. of Pharm. Res., 2(2), 177- 187.

Gandhi T. and Goyal R. (2008-09), Element of Pharmacology. B. S. Shah Prakashan, 17, 171-182.

Gernaey K. and Gani R. (2010), A model-based systems approach to pharmaceutical product-process design and analysis, Chem. Engineering Sci., 65, 5757–5769 .

Goyal R., Mehta A., and Shah G. (2007-08), Element of Human Anatomy Physiology & Health Education. B.S. Shah Prakashan, Ahmedabad. 17th Edn., 78-85 .

Higuchi T. (1963), Mechanism of sustained action medication. Theoretical analysis of rate of release of solid drugs dispersed in solid matrices, J. of Pharmaceutical Sci., 52, 1145-1149.

Hixson A. and Crowell J. (1931), Dependence of reaction velocity upon surface and agitation: I-theoretical consideration, Indian engineering chemistry, 23,923-931.

Hoffmann D., Fungal Skin Infections, Los Angeles: Health World.

Jain N. and Misra A. (2005), Controlled and Novel Drug Delivery, CBS Publishers and Distributors, New Delhi, 101-106.

Jaiprakash S., Mrinmayee D., Rohidas A.,Zahid Z. and Devanand B. (2014), Quality by design approach: Regulatory need, Arabian Journal of Chemistry.

Japan P., Brijesh P., Hardeepsingh B., Kaushal P. and Manish P. (2011), Formulation and Evaluation of Topical Aceclofenac Gel Using Different Gelling Agent, International Journal of Drug Development & Research.3,156-164.

Jayanthi B., Madhusudhan S., Mohanta G. and Manna P. (2013), Preformulation, Characterisation, Designing and Formulation of Aceclofenac Loaded Microparticles, Int. J. of Drug Development & Res., 4(3), 51-54.

Jelvehgaria M. and Siahi-Shadbada M. (2006), The MDS of benzoyl peroxide: Preparation, characterization and release studies, Int. J. of Pharmaceutics, 308,124–132.

Kaparissides C., Alexandridou S., Kotti K. and Chaitidou S. (2006), Recent Advances in Novel Drug Delivery Systems, J. of Nanotechnology Online. 1(3), 55-58.

Kashyap N. and Jadon P. (2010), Formulation Development and Characterization of Aceclofenac Gel Using Poloxamer 407, J. Chem. Pharm. Res., 2(4), 357-3.

Kasper D., Braunwald E., Fauci A., Hauser S., Longo D., and Jameson J. (2005), Harrison's principles of internal medicine; McGraw-Hill Medical Publishing Division. New York. 16th Edn; 283-324.

Kawashima Y. and Niwa T. (1992), Control of Prolonged Drug Release and Compression Properties of Ibuprofen, 4(5), 22-28.

Khachane K., Bankar V. and Pawar S. (2012), "Novel sustained release drug deliverysystem: review".Int. J. of Pharmaceutical Res. andDevelopment. 1-14.

Korsmqer R. and Gumy R. (1983), "Mechanisms of solute release from porous hydrophilic polymers", Int. J. of Pharmaceutics.15, 25-35.

Kovacs S. and Hruze L (1995), Superficial fungal infections, Postgraduate Medicine, 98(6), 61-62, 68-69, 73-75.

Kumar D. and Alibhat Z. (2011), A Review: Transdermal Drug Delivery System: A Tool for Novel Drug Delivery System, Int. J. of Drug Development & Res., 3(3), 70-84.

Kydonieus A. and Berner B. (1987), Transdermal Delivery of Drugs, CRC Press, Boca Raton.

Lewis G. and Phan R. (1999), Pharmaceutical Experimental Design. Marcel Dekker, New York, 265-276.

Livermore B. (1996), Skin symptoms. Family Circle. 109(6): 48, 52-53

Lokhandwala H., Deshpande A. and Deshpande S. (2013), "Kinetic modeling and dissolution profiles Comparison: an overview", International Journal of Pharma and Bio Sciences.4, 728 – 737.

Lourenço V. et al. (2012), A quality by design study applied to an industrial pharmaceutical fluid bed granulation, Eur. J. of Pharmaceutics and Biopharmaceutics, 81, 438–447.

Maiti S. and Dey P. (2009), Investigation on Processing Variables for the Preparation of Fluconazole- Loaded Ethyl Cellulose Microspheres by Modified Multiple Emulsion Technique, AAPS Pharm. SciTech., 10(3), 703– 715.

Mandava S. and Vedavathi T. (2012), Novel approach: Microsponges Drug Delivery System, IJPSR, 3(4), 967-980.

Martin A., Swarbrick J. and Cammarrata A. (1991), In: Physical Pharmacy- Physical Chemical Principles in Pharma. Sciences, 3, 527.

Mehta M., Amish P., Viral S. and Umesh U. (2012), Formulation and in-vitro evaluation of Controlled Release Microsponge Gel For Topical Delivery Of Clotrimazole. Int. J. of Advanced Pharmaceutics, 2(2), 93-101.

Mitkari B. and Kokare C. (2010), Formulation and Evaluation of Topical Liposomal Gel for Fluconazole, Indian J. Pharm. Educ. Res., 44(4), 52-59.

Modha N., Chotai1 N., Patel V. and Patel B. (2010), Preparation, Characterization and Evaluation of Fluconazole Polymorphs, Int. J. of Res. in Pharmaceutical and Biomedical Sciences, 1(2), 38-34.

Mukesh C. and Stavan A. (2009), Fabrication of Modified Transport Fluconazole Transdermal Spray Containing Ethyl Cellulose and Eudragit® RS100 as Film Formers. AAPS Pharm. SciTech., 10(2), 684–691.

Nacht S. (1992), The Microsponge: A Novel Topical Programmable Delivery System, In: Topical Drug Delivery Systems, Edited by David W. O. and Anfon H. A., 42: 299-325.

Nesliha O., Sebnem A., Ulku N. and Karabay Y. (2011), Evaluation of skin permeation and anti-inflammatory and analgesic effects of new naproxen microemulsion formulations, Int. J. of Pharmaceutics, 136– 144.

Netal A., Amrita B., and Madhu M. (2009), Development of Microsponges for Topical Delivery of Mupirocin, AAPS Pharm. SciTech., 10(2), 402-409.

Nevine S., Abdel M., Sahira F. and Menshawe E. (2012), New topical fluconazole microsponge loaded hydrogel: preparation and characterization, Int. J. Pharm., 4,0975-1491.

Newton D. (1991), Biotechnology Frontier: Targeted Drug Delivery, US Pharmacist, 16: 38-39, 43-44, 46-48, 50-51.

Nitesh S., Mayur P., Tejal S. and Avani A.(2011), Design, Development and Optimization of Colon Targeted Drug Delivery System for Crohnís Disease, J. Pharm. Educ. Res., 2(1), 31-41.

Niyaz B., Kalyani P., Divakar G. (2011), Formulation and Evaluation of Gel containing Fluconazole-Antifungal Agent, Int. J. of Drug Development & Research, 3(4), 0975-9344.

Nokhodchi A. and Jelvehgari M. (2007), Factors affecting the morphology of benzoyl peroxide microsponges, Micron, 38, 834-840.

Orlu M. and Araman A. (2006), Design and Evaluation of Colon SpecificDrug Delivery System Containing Flurbiprofen Microsponges, Int. J. Pharm., 318,103-117.

Panwar A., Yadav C., Yadav P., Darwhekar G., Jain D. , Panwar M. and Agarwal A. (2011), Microsponge a novel carrier for cosmetics, J. Global Pharma. Tech., 3(7): 15-24.

Parikh B., Gothi G., Patel T., Chavda H. and Patel C. (2010), Microsponge as novel topical drug delivery system, J. Global Pharma. Tech,. 2(1), 17-29.

Parthiban K., Manivannan R., Krishnarajan D., Chandra S. and Nidhin R. (2011), Microsponge role in novel drug delivery system, Int. J. of Pharmaceutical Res. and Development. 3(4): 117-125.

Patel E. and Oswal R. (2012), Nanosponge And MicroSponges: A Novel DrugDelivery System, 2(2), 33-39.

Prasanthi D. and Lakshmi P. (2011), Vesicles – Mechanism of Transdermal Permeation: AReview, Asian J. of Pharma. and Clinical Res., 18(3), 69-75.

Priya M., Mohale D. and Chandewar A. (2012), Review of Topical Pain killer Gel, World J. of pharmacy and pharmaceutical sci., 1(3), 961-967.

Rajamanickam D., Rajappan M., Varadharajan M. and Srinivasan B. (2010), Formulation and Evaluation of Albumin Microspheres Containing Aceclofenac, Int. J. of Pharmaceutical Sci. Review And Research, 4, 112-117.

Richards A., Harver P. and Champe C. (1995), Anti-inflammatory Drugs, unit VII ch.39, in Lipincott's Illustrated Reviews Pharmacology, 2nd edn. pp: 409.

Rohit S. and Chandrakant S. (2009), Fluconazole topical micro emulsion: preparation and evaluation, Res J Pharm and Technol., 2(2),213-216.

Rohit S., Chandrakant M., Kiran A. and Nilofar S. (2009), Fluconazole Topical Microemulsion: Preparation and Evaluation, Research J. Pharm. and Tech., 2(2), 46-49.

Rowe R., Sheskey P. and Owen S. (2006), Hand book of Pharmaceutical Excipients, 5th Edn, PhP (Pharmaceutical Press), 111-115, 278-282, 346-349, 553-560.

Saboji J., Manvi F., Gadad A. and Patel B. (2011), Formulation and evaluation of ketocnazole microsponge gel by quasi emulsion solvent diffusion, J. Cell and Tissue Res., 11(1), 2691-2696.

Sabya S., Santanukaity, Somasreeray, Biswanathsa (2011), Development and evaluation of xanthan gum-facilitated ethyl cellulose microsponges for controlled percutaneous delivery of diclofenac sodium, ActaPharm.,1(4), 257–270.

Salmon N. and Constantine L. (2006), RN.com's Assessment Series: Skin Anatomy, Physiology and Assessment, AMN Healthcare Education Services, 1-20.

Sandipan R. (2012), Quality by design: A holistic concept of building quality in pharmaceuticals, Int. J. Pharm. Biomed. Res., 3(2), 100-108

Sanjay B., Devendra J., Amol P., Krishna P.and Vinod M. (2007), Formulation, development and evaluation of Fluconazole gel in various polymers bases, Asian J. of Pharmaceutics., 1(1), 63-68.

Sanjay S., Rabinarayan P. and Anuj G. (2010), Formulation of Topical Bioadhesive Gel of Aceclofenac Using 3-level Factorial Design, Services Iranian J. of Pharm. Res., 10, 435-445.

Sanjay S., Rabinarayan P. and Anuj G. (2011), **Formulation of Topical Bioadhesive Gel of Aceclofenac Using 3-Level Factorial Design,** Int. J. of Pharm. Res., 10 (3), 435-445.

Sanjay S.,Rabinarayan P. and Anuj G. (2010), Formulation of Topical Bioadhesive Gel of Aceclofenac Using 3-level Factorial Design, Services Iranian Journal of Pharmaceutical Research,10,435-445.

Sanjeevani D., Vaibhav G., Ajinath S. and Vaishali P. (2013), Design and Optimization of Colon Targeted Microspheres of Prednisolone Sodium Phosphate using Quality by Design Approach, Indo-American J. of Pharmaceutical Res., 3(5), 11-17.

Santanu G. and Barik B. (2009), Preparation and evaluation of aceclofenac sustained release formulation and comparison of formulated and marketed product", Int. J. of Medicine and Medical Sci., 1, 375-382.

Scanlon V. and Sanders T. (2007), Essentials of Anatomy and Physiology, F A Davis Company, 5th Edn, 91-102.

Senthil Kumar S. and Ezhilmuthu R. (2010), Formulation and Evaluation of Didanosine Enteric Coated Sustained Release Tablet, J. Biomed. Sci. and Res., 2(3), 126-131.

Shah V. (1989), Determination of In-vitro Release from Hydrocortisone Creams, Int. J. Pharma., 53: 53-59.

Sharma A., Shukla T., Indoria M. and Jha S. (2011), "Design, Development and Evaluation of Aceclofenac Sustained Release Matrix Tablets",Int. J. of Drug Development & Res., 3,307-313.

Shekhawat P.(2013),Preparation And Evaluation Of Clotrimazole Nanostructured Lipid Carrier For Topical Delivery.Int J Pharm BioSci. 4(1), 407 – 416.

Shelke S., Shinkar D. and Saudagar R. (2013), Topical Gel: A Novel Approach For Development Of Topical Drug Delivery System, Int. J. Of Pharmacy & Technology, 5(3), 2739-2763.

Shiv K., Aakash S., Gajanan D. and Dinesh Kumar Jain.(2011), Formulation and Evaluation of Fluconazole Amphiphilogel, Scholars Research Library, 3 (5), 125-131.

Singh P., Sihorkar V., Jaitly V., Kanaujia P. and Vyas S. (2002), Pilosebaceous unit: anatomical considerations and drug delivery opportunities, 32, 269-281.

Srivastav R., Deepesh K. and Kamla P. (2012), Colonic luminal surface retention of meloxicam microsponges delivered by erosion based colon-targeted matrix tablet, Int. J. of Pharmaceutics, 427, 153– 162.

Sudhamani T. and Noveenkumar K. (2010), preparation and evaluation of ethyl cellulose microspheres of ibuprofen for sustained drug delivery, IJPRD, 2(8), 53-59.

Sudhir B. and Sharma V. (2012), Topical Gel: A Novel Approach for Drug Delivery, J. of Chemical, Biological and Physical Sci., 2(2), 856-867.

Sung-su K. and Ho-taek I. (2007), An optimized analyticalmethod of fluconazole in human plasma by highperformance liquid chromatography with ultravioletdetection and its application to a bioequivalence study. J Chromatography Sci., 852 (9), 174-179.

Swetha A.,Gopal R., and Venkata R.(2011), Formulation and in-vitro Evaluation of Etodolac Entrapped in Microsponge based Drug Delivery System, Int. J. Pharma., 1(2),73- 80.

Tansel C. (2002), The effects of pressure and direct compression on tabletting of microsponges, Int. J. Pharm., 242, 191–95.

Tortora G. and Grabowski S. (2000), The integumentary system. In: Principles of Anatomy and Physiology, John Wiley and Sons, 9thEdn, 140-159.

Tripathi K. (2003), NSAID's and antipyretic, analgesics, Essentials of Medical Pharmacology, Jaypee brothers, Medical publishers, New Delhi, 5th ed., 167-184.

Varun T., Bharat P. and Sonia A. (2012), Formulation and in vitro Evaluation of Gel for Topical Delivery of Antifungal Agent Fluconazole Using Different Penetration Enhancers, Drug Invention Today, 2(2), 36-41.

Vikas J. and Ranjit S. (2010), Dicyclomine-loaded Eudragit®-based Microsponge with Potential for Colonic Delivery: Preparation and Characterization, Tropical J. Pharma. Res., 9 (1), 67-72.

Vinod G., Vishal Y., Rakesh P. and Prafulla B.,Choudhari B. and Swapnil D.(1012), Effect of Carbopol 934 and 940 on Fluconazole Release from Topical Gel Formulation: A Factorial Approach, Current Pharma. Res., 2(2), 487-493.

Viral S.(2010), Microsponge drug delivery system: A review, Int. J. Res. Pharm. Sci., 1, 212-218.

Vivek B., Sulabha P., Shobhona S. and Vandana P. (2012), Clotrimazole nanoemulsion for malaria chemotherapy. Part I: Preformulation studies, formulation design and physicochemical evaluation, Int. J. of Pharmaceutics, 4(431), 138– 48.

Vora N., Lin S. and Madan P. (2013), Development and in-vitro evaluation of an optimized carvedilol transdermal therapeutic system using experimental design approach, Asian journal of pharmaceutical science, 8, 28 -38.

Vyas S. and Khar R. (2002), Targeted and controlled drug delivery- Novel carrier system. CBS Publication, New Delhi, Edition 1,453.

Wester R. and Noonan P. (1980), Relevance of animal models for percutaneous absorption, Int J Pharm., 7, 99-110.

Wu H. et al. (2011), QbD: An integrated process analytical technology (PAT) approach for a dynamic pharmaceutical co-precipitation process characterization and process design space development, Int. J. of Pharmaceutics 405, 63–78.

Yerram C., Shaik F., Rajalakshmi R., Amaravathi V., Rubia B., Yasmeen1 R. and Naveen C. (2012), Preparation And Evaluation Of Microsponge Loaded Controlled Release Topical Gel Of Acyclovir Sodium, Int. J. of Biopharmaceutics, 3(2), 96-102.

## APPENDIX

**Details of Approval Certificate of Institute Animal Ethical Committee for Animal Experiment:**

| | | |
|---|---|---|
| Institute Animal Ethical Committee<br>Date: 06/02/2014<br>Place: Vidyabharti Trust College of Pharmacy | Application Number:<br>CPCSEA/VBT/IAEC/14/01/65 | FORMULATION AND DEVELOPMENT OF FEW SELECTED DRUGS LOADED MICROSPONGES FOR TOPICAL DELIVERY USING QUALITY BY DESIGN APPROACH |

**LIST OF PAPER PUBLICATION:**

| SL. NO. | TITLE | JOURNAL NAME | VOLUME & ISSUE NO | PAGE NO. |
|---|---|---|---|---|
| **1.** | **Microsponges: A Revolutionary Path Breaking Modified Drug Delivery of Topical Drugs (Impact Factor-0.93)** | International Journal of Pharmaceutical Research | April-June 2014 \| Volume 6 \| Issue 2 | 1-13 |
| **2.** | **Formulation and Development of Fluconazole Microsponges for Topical Delivery using Quality by Design Approach (Impact Factor-0.33)** | Pharma Science Monitor | 5 (3) Supl.1 July-Sept:2014 | 95-133 |

**LIST OF CONFERENCES**

| SL.NO. | CONFERENCE | PAPER PRESENTED | CONFERNCE DATE AND PLACE |
|---|---|---|---|
| **1.** | RAPCOPINC 2014 | YES | 27-28 FEB., 2014 |
| **2.** | Present and Future Challenges in Pharmacy Education | YES | 07-08 March, 2014 |
| **3.** | Pharmarendezvous | NO | 22-23 Feb., 2013 |
| **4.** | Challenges & Opportunity of Bioavailability and Bioequivalence in Pulmonary DDS | Yes | 21 Sept., 2013 |
| **5.** | Effective Scientifice Writing Skills for Pharmaceutical Science and Research | No. | 15 Feb., 2014 |